

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/03/2010

Version No. 1

Reviewed on 02/03/2010

1 Identification of substance

· Product details

· Trade name: Magic Oil 2K Comp. B

· Application of the substance / the preparation

High-Solid 2-Component Parquet Oil
Component B

· Manufacturer/Supplier:

Manufacturer:

JP Coatings GmbH

Im Kreuz 6

D-97076 Würzburg

Germany

Phone +49 931-27964-0

Fax +49 931-27964-50

Supplier:

UFLOOR Systems Inc.

14705 E. 33rd Place Unit D

Aurora, CO 80011

Phone: +720-374-4810

Toll-Free: +1 866-505-4810

Fax: +1 720-374-2113

· Information department:

Product safety department

email: msds.info@uzin-utz.com

· Emergency information:

For Chemical Emergency Spill Leak Fire Exposure or Accident

Call CHEMTREC Day or Night: DOMESTIC NORTH AMERICA 800-424-9300

International, call +49 621 60 43 333

2 Hazards identification

· Information pertaining to particular dangers for man and environment:

The product has to be labelled due to the calculation procedure of international guidelines.

May cause sensitisation by skin contact.

Contains isocyanates. See information supplied by the manufacturer.

· NFPA ratings (scale 0 - 4)



Health = 1

Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1

Fire = 1

Reactivity = 0

· Additional information:

NFPA Rating Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe.

NFPA is the National Fire Protection Association.

HMIS Rating Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe.

HMIS®, the Hazardous Materials Identification System, is a registered mark of the National Paint and Coatings Association (NPCA).

USA

(Contd. on page 2)

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/03/2010

Version No. 1

Reviewed on 02/03/2010

Trade name: Magic Oil 2K Comp. B

(Contd. of page 1)

3 Composition/Data on components

- **Chemical characterization**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

28182-81-2	1,6-Hexamethylene diisocyanate homopolymer	75-100%
------------	--	---------

4 First aid measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Do not induce vomiting; immediately call for medical help.

5 Fire fighting measures

- **Suitable extinguishing agents:**
CO₂ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Protective equipment:** No special measures required.
- **Additional information:** Flash point: 180°C (356°F)

6 Accidental release measures

- **Person-related safety precautions:** Wear protective clothing.
- **Measures for environmental protection:** Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

7 Handling and storage

- **Handling:**
- **Information for safe handling:**
Do not eat or drink while working.
Avoid contact with the eyes and skin.
Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.
Wash hands before breaks and at the end of work.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)

USA

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/03/2010

Version No. 1

Reviewed on 02/03/2010

Trade name: Magic Oil 2K Comp. B

(Contd. of page 2)

- **Personal protective equipment:**
- **General protective and hygienic measures:**
Avoid contact with the eyes and skin.
Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**



PVC or PE gloves

- **Material of gloves:** PVC or PE gloves
- **Penetration time of glove material:**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

9 Physical and chemical properties

· General Information

Form:	Fluid
Color:	Yellowish
Odor:	Weak, characteristic

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.

· **Flash point:** 180°C (356°F)

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Vapor pressure at 50°C (122°F):** 0.0001 hPa

· **Density at 20°C (68°F):** 1.14 g/cm³

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Viscosity:

Kinematic at 20°C (68°F): 150 mPas

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Materials to be avoided:**
Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.
- **Dangerous reactions**
May produce violent reactions with bases and numerous organic substances including alcohols and amines.
The product reacts slowly with water resulting in evolution of carbon dioxide. In closed containers, pressure build up could result in distortion, blowing and in extreme cases bursting of the container.

(Contd. on page 4)

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/03/2010

Version No. 1

Reviewed on 02/03/2010

Trade name: Magic Oil 2K Comp. B

(Contd. of page 3)

· Dangerous products of decomposition:

In a fire, hazardous decomposition products such as smoke, carbon monoxide, carbon dioxide, oxides of nitrogen, hydrogen cyanide, monomer isocyanates, amines and alcohols may be produced.

11 Toxicological information

- **Acute toxicity:**
- **Specific symptoms in biological assay:**
- **Primary route(s) of entry:** Skin contact, eye contact, ingestion.

· **Primary irritant effect:**

- **on the skin:** No irritant effect.
- **on the eye:** No irritant effect.
- **Sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Based on the properties of the isocyanate components and considering toxicological data on similar preparations, this preparation may cause acute irritation and/or sensitization of the respiratory system leading to an asthmatic condition, wheeziness and a tightness of the chest. Sensitized persons may subsequently show asthmatic symptoms when exposed to atmospheric concentrations well below the OEL. Repeated exposure may lead to permanent respiratory disability.

12 Ecological information

- **General notes:** Do not allow product to reach ground water, water course or sewage system.

13 Disposal considerations

- **Product:**
- **Recommendation:**
*Do not allow product to reach sewage system.
Disposal should be in accordance with local, state or national legislation.*
- **Uncleaned packagings:**
- **Recommendation:**
Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

14 Transport information

- **DOT regulations:**
- **Hazard class:** -
- **Maritime transport IMDG:**
- **IMDG Class:** -
- **Marine pollutant:** No
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

· **Transport/Additional information:**

Not regulated as hazardous material according to the above specifications.

USA

(Contd. on page 5)

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/03/2010

Version No. 1

Reviewed on 02/03/2010

Trade name: Magic Oil 2K Comp. B

(Contd. of page 4)

15 Regulations

· **SARA (Superfund Amendments and Reauthorization Act)**

· **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Product related hazard informations:**

The product has been classified and marked in accordance with directives on hazardous materials.

· **Hazard-determining components of labelling:**

1,6-Hexamethylene diisocyanate homopolymer

· **Risk phrases:**

May cause sensitisation by skin contact.

· **Safety phrases:**

Keep out of the reach of children.

Avoid contact with skin and eyes.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After contact with skin, wash immediately with plenty of soap and water.

Wear suitable gloves and eye/face protection.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 6)

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 02/03/2010

Version No. 1

Reviewed on 02/03/2010

Trade name: Magic Oil 2K Comp. B

(Contd. of page 5)

· **Department issuing MSDS:** Product safety department

· **Contact:**

USA: Mike Hodges, phone +1 720-374-4810

Germany: Dr. Zieger, phone +49 731.409.7207

USA